





离体猪小肠吻合术

遵义医科大学 第一临床学院
外科手术学实验室




实验内容

+ 肠侧侧吻合术



侧侧吻合术

+ 肠端端吻合术




肠端端吻合术

离体小肠端端吻合术



操作方法


01 缝合牵引线



缝合牵引线

距断端0.5cm


02 后壁内层缝合



后壁内层
全层间断内翻缝合

不剪线

03 前壁内层缝合




前壁内层
全层间断内翻缝合

剪掉上一条牵引线

操作方法

04

前后壁外层缝合




前后壁外层
间断浆肌层缝合

注意针距及边距

05

检查吻合口




吻合口检查

吻合口有无渗液、渗血等

操作方法

缝合牵引线




缝合牵引线

后壁外层缝合




后壁外层
间断浆肌层缝合

操作方法




吻合口切口设计
长度5cm



切开吻合口后壁肠管

切开
肠壁


后壁内层
缝合



后壁内层
连续锁边缝合

操作方法


前壁内层缝合



前壁内层
连续褥式内翻缝合




前壁外层缝合



前壁外层
间断浆肌层缝


操作方法

检查吻合口



吻合口检查

提问

The background of the slide features a collection of medical supplies on a light green surface. In the upper right, there is a glass thermometer with a white scale and a red liquid column, showing a temperature of approximately 37.5. Below the thermometer are several pills: two yellow round tablets, one white and blue capsule, and another white and blue capsule. A pair of silver surgical scissors is positioned horizontally in the middle right. In the lower right, a portion of a teal stethoscope is visible, along with a green leaf with dark veins.

1、如何避免吻合口狭窄？

2、吻合口漏与缝合有无关系、为什么？

THANK YOU

遵义医科大学 第一临床学院
外科手术学实验室

